

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/791651

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Friday
Date: 7/7/2006
Time: 11:17:20

 **PALM INTRANET**

Inventor Information for 10/791651

Inventor Name	City	State/Country
OTSUKI, TETSUYA	NAGANO-KEN	JAPAN
KUROSAWA, HIROFUMI	NAGANO-KEN	JAPAN
MIKI, HIROSHI	NAGANO-KEN	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)

Search Another: Application# or Patent#

PCT / / or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060165875 A1	20060727	INTERCONNECT SUBSTRATE, SEMICONDUCTOR DEVICE, METHODS OF MANUFACTURING THE SAME, CIRCUIT BOARD, AND ELECTRONIC EQUIPMENT	427/58	427/258; 427/402	Otsuki; Tetsuya
US 20060125048 A1	20060615	Integrated semiconductor device and method of manufacturing the same	257/532		Miki; Hiroshi
US 20060103788 A1	20060518	Method for mounting electronic element, method for producing electronic device, circuit board, and electronic instrument	349/110	174/262; 29/832; 349/111	Kurosawa; Hirofumi et al.
US 20060103000 A1	20060518	Electronic device package and electronic equipment	257/690		Kurosawa; Hirofumi
US 20060049519 A1	20060309	Semiconductor device and method for manufacturing semiconductor device	257/737	257/686; 257/738; 257/778	Otsuki; Tetsuya
US 20060049510 A1	20060309	Semiconductor device and method of manufacturing semiconductor device	257/700		Otsuki; Tetsuya
US 20050199490 A1	20050915	Double-layer shutter control method of multi-sputtering system	204/298.11		Nomura, Shuji et al.
US 20050142742 A1	20050630	Semiconductor device and method of fabrication	438/257		Tonomura, Osamu et al.
US 20050098813 A1	20050512	Semiconductor device and manufacturing method thereof	257/296	257/300; 438/197	Sekiguchi, Tomoko et al.
US 20050079662 A1	20050414	Nonvolatile semiconductor storage and its manufacturing method	438/200	257/E21.689; 257/E27.081; 257/E27.103; 257/E29.165	Miki, Hiroshi

US 20050074936 A1	20050407	Method of fabricating a semiconductor device including a reaction barrier film, a diffusion barrier film and a ferroelectric film	438/240	257/E21.009; 257/E21.01; 257/E21.021; 257/E21.168; 438/239; 438/3	Torii, Kazuyoshi et al.
US 20050051821 A1	20050310	Semiconductor storage device which includes a hydrogen diffusion inhibiting layer	257/295	257/E21.009; 257/E21.011; 257/E21.021	Miki, Hiroshi et al.
US 20040241903 A1	20041202	Wiring board, method of manufacturing the same, semiconductor device, and electronic instrument	438/106		Otsuki, Tetsuya et al.
US 20040239730 A1	20041202	Method for forming pattern and method for forming multilayer wiring structure by droplet discharge system	347/68	29/25.35; 29/829; 29/890.09; 29/890.1	Kurosawa, Hirofumi
US 20040237296 A1	20041202	Wiring board, method of manufacturing the same, semiconductor device, and electronic instrument	29/830	29/831; 29/840; 29/844	Otsuki, Tetsuya et al.
US 20040222889 A1	20041111	Contactless data communication system, contactless identification tag and contactless identification tag control program	340/572.8		Hoshina, Masaki et al.
US 20040135269 A1	20040715	Interconnect substrate, semiconductor device, methods of manufacturing the same, circuit board, and electronic equipment	257/791	257/E23.004; 257/E23.07	Otsuki, Tetsuya
US 20040063280 A1	20040401	Semiconductor storage device	438/257	257/E21.009; 257/E21.011; 257/E21.021	Miki, Hiroshi et al.
US	20040101	Multilayered wiring	174/264	29/846	Furusawa,

20040000429 A1		board, method of producing multilayered wiring board, electronic device and electronic apparatus			Masahiro et al.
US 20030205752 A1	20031106	Semiconductor integrated circuits and fabricating method thereof	257/309	257/E21.008; 257/E21.01; 257/E21.013; 257/E21.018; 257/E21.274; 257/E27.088	Shimamoto, Yasuhiro et al.
US 20030129806 A1	20030710	Production of semiconductor integrated circuit	438/398	257/E21.013; 257/E21.019; 257/E27.088	Miki, Hiroshi et al.
US 20020151152 A1	20021017	Semiconductor integrated circuits and fabricating method thereof	438/398	257/E21.008; 257/E21.01; 257/E21.013; 257/E21.018; 257/E21.274; 438/241; 438/253; 438/255; 438/396	Shimamoto, Yasuhiro et al.
US 20020140014 A1	20021003	Semiconductor device and fabrication method thereof	257/295	257/E21.009; 257/E21.011	Takatani, Shinichiro et al.
US 20020131476 A1	20020919	METHOD AND APPARATUS FOR MEASURING THERMOPHYSICAL PROPERTIES	374/161	374/120	BABA, TETSUYA et al.
US 20020096701 A1	20020725	Semiconductor device and process for manufacturing the same	257/296	257/E21.019; 257/E21.589; 257/E21.649; 257/E21.66	Torii, Kazuyoshi et al.
US 20020056862 A1	20020516	Semiconductor storage device	257/295	257/310; 257/757; 257/E21.009; 257/E21.011; 257/E21.021	Miki, Hiroshi et al.
US 20020047147 A1	20020425	Semiconductor device and process for producing the semiconductor device	257/295	257/296; 257/751; 257/E21.009; 257/E21.021; 257/E21.168	Kushida, Keiko et al.

US 20020043679 A1	20020418	Production of semiconductor integrated circuit	257/296	257/E21.013; 257/E21.019; 257/E27.088	Miki, Hiroshi et al.
US 20020013006 A1	20020131	Semiconductor memory and method of manufacturing the same	438/3	257/E21.01; 257/E21.021; 257/E21.272; 438/240	Miki, Hiroshi et al.
US 20010041416 A1	20011115	Method of fabricating semiconductor device	438/396	257/E21.009; 257/E21.648; 438/720	Torii, Kazuyoshi et al.
US 7034355 B2	20060425	Nonvolatile semiconductor storage and its manufacturing method	257/314	257/310; 257/315; 257/324; 257/E21.689; 257/E27.081; 257/E27.103; 257/E29.165	Miki; Hiroshi
US 6822276 B1	20041123	Memory structure with a ferroelectric capacitor	257/295	257/303; 257/306; 257/E21.009; 257/E21.01; 257/E21.021; 257/E21.168	Torii; Kazuyoshi et al.
US 6818523 B2	20041116	Semiconductor storage device manufacturing method which forms a hydrogen diffusion inhibiting layer	438/396	257/295; 257/E21.009; 257/E21.011; 257/E21.021; 438/253	Miki; Hiroshi et al.
US 6800889 B2	20041005	Semiconductor device and fabrication method thereof	257/295	257/303; 257/306; 257/309; 257/310; 257/E21.009; 257/E21.011; 438/239; 438/240; 438/244; 438/253; 438/387	Takatani; Shinichiro et al.
US 6740901 B2	20040525	Production of semiconductor integrated circuit	257/68	257/301; 257/532; 257/534; 257/E21.013; 257/E21.019; 257/E27.088;	Miki; Hiroshi et al.

				438/287; 438/396; 438/398	
US 6693792 B2	20040217	Semiconductor integrated circuits and fabricating method thereof	361/311	257/68; 257/E21.008; 257/E21.01; 257/E21.013; 257/E21.018; 257/E21.274; 257/E27.088	Shimamoto; Yasuhiro et al.
US 6635913 B2	20031021	Semiconductor storage device	257/295	257/296; 257/297; 257/298; 257/299; 257/300; 257/751; 257/757; 257/E21.009; 257/E21.011; 257/E21.021	Miki; Hiroshi et al.
US 6635896 B1	20031021	Optical disk stamper examination machine, optical disk stamper examination method, and optical disk stamper	250/559.4	369/286	Hirono; Kimio et al.
US 6632721 B1	20031014	Method of manufacturing semiconductor devices having capacitors with electrode including hemispherical grains	438/398	257/E21.013; 438/255; 438/396; 438/565; 438/566	Iijima; Shinpei et al.
US 6595685 B2	20030722	Method and apparatus for measuring thermophysical properties	374/161	374/120; 374/43	Baba; Tetsuya et al.
US 6583023 B2	20030624	Method for making semiconductor integrated circuits	438/398	257/E21.008; 257/E21.01; 257/E21.013; 257/E21.018; 257/E21.274	Shimamoto; Yasuhiro et al.
US 6509246 B2	20030121	Production of semiconductor integrated circuit	438/398	257/E21.013; 257/E21.019; 257/E27.088; 438/251;	Miki; Hiroshi et al.

				438/255; 438/665	
US 6462368 B2	20021008	Ferroelectric capacitor with a self-aligned diffusion barrier	257/295	257/310; 257/E21.019; 257/E21.589; 257/E21.649; 257/E21.66; 365/65; 438/3	Torii; Kazuyoshi et al.
US 6432767 B1	20020813	Method of fabricating semiconductor device	438/239	257/E21.009; 257/E21.648; 438/238; 438/240; 438/381	Torii; Kazuyoshi et al.
US 6420192 B2	20020716	Method of manufacturing semiconductor memory	438/3	257/E21.01; 257/E21.021; 257/E21.272; 438/240	Miki; Hiroshi et al.
US 6396092 B1	20020528	Semiconductor device and method for manufacturing the same	257/295	257/303; 257/306; 257/309; 257/310; 257/741; 257/E21.009; 257/E21.011; 365/145; 365/65; 365/87; 438/239; 438/240; 438/244; 438/253; 438/3; 438/387; 438/396	Takatani; Shinichiro et al.
US 6380574 B1	20020430	Ferroelectric capacitor with a self-aligned diffusion barrier	257/295	257/310; 257/E21.021; 257/E21.584; 257/E21.648; 257/E21.649; 257/E21.66; 257/E27.088; 257/E27.089; 365/65; 438/3	Torii; Kazuyoshi et al.
US 6342712	20020129	Semiconductor	257/295	257/310;	Miki;

B1		storage device with ferrielectric capacitor and metal-oxide isolation		257/757; 257/E21.009; 257/E21.021	Hiroshi et al.
US 6338994 B1	20020115	Semiconductor device and method of fabricating thereof	438/239	438/238; 438/240; 438/381	Torii; Kazuyoshi et al.
US 6309894 B1	20011030	Semiconductor memory and method of manufacturing the same	438/3	257/E21.01; 257/E21.021; 257/E21.272; 438/240	Miki; Hiroshi et al.
US 6272880 B1	20010814	Air conditioner	62/404	62/179; 62/180; 62/415; 62/416; 62/426; 62/525	Miki; Hiroshi et al.
US 6144052 A	20001107	Semiconductor device and its manufacture	257/295	257/298; 257/310; 257/532; 257/E21.009; 257/E21.011; 257/E21.648	Kushida; Keiko et al.
US 6133623 A	20001017	Resin sealing type semiconductor device that includes a plurality of leads and method of making the same	257/666	257/675; 257/676; 257/691; 257/698; 257/712; 257/784; 257/E21.504; 257/E23.092; 257/E23.126; 438/123; 438/124	Otsuki; Tetsuya et al.
US 6097051 A	20000801	Semiconductor device and method of fabricating	257/306	257/295; 257/310; 438/240; 438/253; 438/3; 438/396	Torii; Kazuyoshi et al.
US 6055171 A	20000425	AC/DC converting circuit	363/89	363/84	Ishii; Shinichi et al.
US 6013492 A	20000111	Microbial process for producing calcium D-pantothenate	435/106	435/116; 435/136; 562/569	Nishimura; Sunao et al.

US 5978243 A	19991102	Ac/dc converting circuit	363/89	363/84	Ishii; Shinichi et al.
US 5906262 A	19990525	Positioning control system for a non-contacting magnetic conveyor system	198/341.02	198/464.3; 198/465.2; 198/502.3; 198/619	Miki; Hiroshi
US 5891759 A	19990406	Method of making a multiple heat sink resin sealing type semiconductor device	438/122	257/E23.092; 257/E23.126; 438/125	Otsuki; Tetsuya
US 5801435 A	19980901	Resin sealing type semiconductor device and method of making the same	257/675	257/784; 257/787; 257/793; 257/796; 257/E23.092	Otsuki; Tetsuya
US 5777380 A	19980707	Resin sealing type semiconductor device having thin portions formed on the leads	257/675	257/674; 257/706; 257/707; 257/796; 257/E21.504; 257/E23.046; 257/E23.092	Otsuki; Tetsuya et al.
US 5736449 A	19980407	Semiconductor memory device having improved isolation between electrodes, and process for fabricating the same	438/396	257/E21.009; 438/240; 438/253; 438/974	Miki; Hiroshi et al.
US 5719442 A	19980217	Resin sealing type semiconductor device	257/712	257/719; 257/796; 257/E23.092	Otsuki; Tetsuya
US 5653891 A	19970805	Method of producing a semiconductor device with a heat sink	216/11	216/100; 216/105; 216/17; 216/56; 257/E21.504; 257/E23.092	Otsuki; Tetsuya et al.
US 5633529 A	19970527	Resin sealing type semiconductor device and method of making the same	257/666	257/691; 257/698; 257/784; 257/E23.092; 257/E23.126	Otsuki; Tetsuya
US 5624587 A	19970429	Laser machining apparatus and method	219/121.83	219/121.75	Otsuki; Tetsuya et

		of setting focus thereof			al.
US 5610852 A	19970311	Ferroelectric memory and method for controlling operation of the same	365/145	365/206	Koike; Hiroki et al.
US 5594282 A	19970114	Resin sealing type semiconductor device and method of making the same	257/796	257/706; 257/707; 257/E23.092; 257/E23.126	Otsuki; Tetsuya
US 5518906 A	19960521	Production of d-pantoic acid and d-pantothenic acid	435/116	435/183; 435/320.1; 435/69.1; 435/71.1; 435/71.2	Hikichi; Yuichi et al.
US 5499207 A	19960312	Semiconductor memory device having improved isolation between electrodes, and process for fabricating the same	365/149	257/295; 257/E21.009; 257/E21.011; 257/E27.089; 365/145; 365/174	Miki; Hiroshi et al.
US 5343353 A	19940830	Semiconductor device and process of producing the same	361/322	257/E21.01; 257/E21.272; 29/25.42; 427/126.3	Miki; Hiroshi et al.
US 5277193 A	19940111	APNEA preventive stimulating device	600/529		Takishima; Tamotsu et al.
US 5200879 A	19930406	Drive circuit for voltage driven type semiconductor device	361/94	361/18	Sasagawa; Kiyoaki et al.
US 5200878 A	19930406	Drive circuit for current sense IGBT	361/98	361/101; 361/18	Sasagawa; Kiyoaki et al.
US 5178156 A	19930112	Apnea preventive stimulating device	600/537	607/42; 607/62; 607/70	Takishima; Tamotsu et al.
US 5055990 A	19911008	Snubber circuit for power conversion semiconductor elements and assembly thereof	363/56.05	363/132	Miki; Hiroshi et al.
US 5043587 A	19910827	Photocoupler circuit having DC power source in series with	250/551	327/514	Miki; Hiroshi et al.

		detection and switching means			
US 4959483 A	19900925	D- glucosaccharoascorbic acid	549/315	426/72	Matsumura; Koichi et al.
US 4949213 A	19900814	Drive circuit for use with voltage-drive semiconductor device	361/91.4	327/109; 361/92	Sasagawa; Kiyooki et al.